

ACC NR: AT7000586

pointed out that laboratory experiments and simulation of magnetic effects will be very valuable in the investigation of the Tungus explosion.

SUB CODE: C4, 03 / SUBM DATE: 23Feb63/ ORIG REF: 006/ OTH REF: 011

Card 2/2

ACC NR: AT7004159 (N) SOURCE CODE: UR/0000/66/000/000/0027/0034

AUTHOR: Kurtepov, M. M.; Fokin, M. N. (Candidate of chemical sciences);
Zhuravlev, V. K.; Oreshkin, V. I.

ORG: none

TITLE: Comparative evaluation of the tendency of Kh18N10T and Kh17N13M3T
steels to pitting and crevice corrosion in sodium chloride solutions

SOURCE: AN SSSR. Institut fizicheskoy khimii. Korroziya i zashchita konstruk-
tsionnykh splavov (Corrosion and protection of structural alloys) Moscow, Izd-vo
Nauka, 1966, 27-34

TOPIC TAGS: corrosion, steel, sea water corrosion, pitting, crevice corrosion,
sodium chloride/Kh18N10T steel, Kh17N13M3T steel

ABSTRACT: A study of the relative propensities of Kh18N10T and Kh17N13M3T
steels to pitting and crevice corrosion in an aggressive medium, such as sea
water, showed that in the presence of narrow gaps Kh17N13M3T has a higher
resistance to crevice corrosion than Kh18N10T, which develops crevice corrosion
at a rate of 30—40 mm a year. Independent electrochemical analysis showed that

Card 1/2

UDC: 620.197.1:546.3.19

ACC NR: AT7004159

this corresponds to a pH value of approximately 1.5 within the gap. At 80 C, the oxidizing effect of an aerated sodium chloride solution is sufficient to generate and develop pitting in hot Kh18N10T or Kh17N13M3T steel pipes as a result of the action of microcouples or thermogalvanic macrocouples. Orig. art. has: 5 figures.

SUB CODE: 11, 13/SUBM DATE: 27Sep86/ORIG REF: 003/

[SP]

Card 2/2

L 11968-65 ENT(1)/EPA(1)-1/ENT(2)/EPF(1)/EPF(2)-2/E(1)(t)/E(2)(b)-2/P-1/
Pt-10/Pu-4/PI-4 IJP(1)/BSD/AS(1)(b)-1/ASD(1)(c)-1/200(gs)/Pb-1

ACCESSION NR: AP4047351

6/0139/64/0000/0005/0086/0090

B

AUTHOR: Zhuravlev, V. K.

TITLE: Losses in a dielectric situated in the field of ionizing
radiation

SOURCE: IVUZ. Fizika, no. 5, 1964, 86-90

TOPIC TAGS: Ionizing radiation, relaxation polarization, dielectric loss, dielectric relaxation

ABSTRACT: The author considers relaxation polarization induced by low-intensity ionizing radiation, when irreversible changes in the material occur. It is shown that the reversible changes in

Card 1/3

L 11968-65

ACCESSION NR. AF4047351

tion-induced excited molecules is examined and it is shown that the increase in losses due to the increase in the number of molecules capable of acquiring enough energy to interact with other charges is offset by a decrease due to the rise in energy level of the relaxing molecules themselves. Consequently, the appearance of "hot" molecules can lead both to an intensification and a lowering of the dielectric relaxation, and also to an increase and a decrease of the dielectric losses. This explains from a unified point of view the experimentally observed effects, the shift in the relaxation maximum, and the common character of the temperature and frequency dependences of the dielectric loss angle in a radiat ion field. The existence of two competing relaxation processes induced by low-intensity radiation is also proposed for dielectric relaxation in organic monomers and polymers. It is shown that the effect of the radiation on the dielectric properties of the polymer depends on the nature of the polymer and the intensity of the field. The results are used for a discussion of the

L 11968-65

ACCESSION NR: AP4047351

ASSOCIATION: NII pri Tomskom politekhnicheskom universitete imeni S. M. Kirova (Scientific Research Institute at the Tomsk Polytechnic Institute)

SUBMITTED: 24Jul63

SUB CODE: EM, NP

REF ID: GOW 006

INCL: CO

OTHER: COI

Card 3/3

E 34955-65 EMT(c)/RSS-2/EMT(1)/S11K(1)-2/SEC4/SEC(1) Pn-1774/Pac-1/PR-10/

PL-1 IJP(c) OO

ACCESSION NR: AP5006043

S/0139/43/c 001/001/0032/0035

AUTHOR: Zhuravlev, V. K.

TITLE: On the absorption of radio waves by a dielectric in the field of ionizing radiation

SOURCE: Izv. Vuzov. Fizika, no. 1, 1965, 32-35

TOPIC TAGS: dielectric, wave absorption, ionization, microtome, microwave absorption, dielectric loss, polarizability

ABSTRACT: Continuing earlier work on the dielectric losses in a dielectric located in the field of ionizing radiation (Izv. Vuzov SSSR, Fizika No. 5, 06, 1964), the author analyzes from a quantum-statistical point of view the reversible changes

Card 1/2

L 34955-65

ACCESSION NR: AP2006048

the rotators, as well as the loss component of the dielectric constant, can become negative in the energy interval in which the derivative of the distribution function with respect to energy is positive. This condition, which is equivalent to the condition for the generation of local instabilities, must be satisfied

"APPROVED FOR RELEASE: 07/16/2001

CIA-RDP86-00513R002065020014-1

ASSOCIATION: NII at Tomsk Polytechnic Institute
(NII at the Tomsk Polytechnic Institute)

SUBMITTED: 24Jul23

S U G E S T D I F F

NO REV SCRT: 004

ORIGIN: 001

A T P R I O R I: 3214

Card 2/2

APPROVED FOR RELEASE: 07/16/2001

CIA-RDP86-00513R002065020014-1"

ACC NR: AP6034397

are gained by impurity levels such as ClO_3^- ions formed in the course of the decomposition (Table 1). Theoretical analysis of the processes taking place and experimental

Table 1. Impurity content in the solid NH_4ClO_4 residue

Degree of decomposition of NH_4ClO_4 , %	Impurity content, mol%		
	Cl^-	ClO_3^- , ClO_2^- , ClO_2	ClO_4^-
16.1	0.301	0.275	
23.0	0.101	0.068	
30.0	0.025	0.024	

results indicated that the reaction rate of the thermal decomposition of NH_4ClO_4 increases with a decrease of the concentration of free electrons in NH_4ClO_4 . In the case of irradiated NH_4ClO_4 , the formation of ClO_3^- ions is probably not the only factors that accelerates thermal decomposition. Three possible additional factors are considered: 1) the arrangement of ClO_3^- ions formed at irradiation is not that it increases their catalytic activity; 2) formation of additional radiolysis products such as, among others, Cl^- ions; however, no acceleration was observed on addition to NH_4ClO_4 of the same amounts of Cl^- ions as are formed on irradiation; 3) formation of radiation-induced defects. Among these factors, the formation of defects appears to be most probable. Determination of the type of these defects requires further studies.

Card 2/3

ACC NR: AP6034397




Fig. 1. Effect of irradiation or addition of ClO_3^- ions on the thermal decomposition of NH_4ClO_4

α - Portion of reacted substance; $\alpha = 1$ is the decomposition of 30% of the salt specimen (maximum decomposition at low temperatures);




Fig. 2. Thermo-grams of pure, irradiated and contaminated NH_4ClO_4

similarity was established in the nature of changes of conduction, dielectric losses and decomposition rate on contamination and irradiation of NH_4ClO_4 . This fact indicates that, in both cases, these changes are due to the same defect. Orig. art. hasn't 4 figures and 2 tables.

SUB CODE: 20 / SUBN DATE: 18 May 65 / ORIG REF: 010 / OTH REL 017 /

Card 3/3

L 16736-66 EMT(1)/ECC/RWA(h) TW ACC NR: AR5015447	UR/0159/55/000/005/A019/1019 551.591.53	23 5
SOURCE: Ref. zh. Geofizika, Abs. 6A101		
AUTHOR: Vasil'yev, N.V.; Zhuravlev, V.M.; Zazdravnykh, N.P.; Prilichik'ko, T.V.; Demin, D.V.; Demina, L.N.		
TITLE: Connection between noctilucent clouds and some parameters of the ionosphere		
CITED SOURCE: Dokl. 3-y Sibirs. konferentsii po matem. i mekhan., 1964, Tomsk, Tomskiy un-t, 1964, 302-303		
TOPIC TAGS: ionosphere, cloud formation, cloud level, atmospheric cloud		
TRANSLATION: In Tomsk, during the summer of 1963, noctilucent clouds were observed eleven times. A comparison with the state of the ionosphere showed that, as a rule, these clouds were accompanied by a lowering of the average altitude of the sporadic stratum E.		
SUB CODE: 04/ B1251-40 SUBM DATE: NONE		
Card 1/1 vmb		

ZAKHAROV, Yu.A.; SAVELYEV, G.G.; ZHURAVLEV, V.K.; BOGDYREV, V.V.

Changes in the physicochemical properties of solids in the presence of admixtures. Part 4: Thermal decomposition of silver oxalate. Kin. i kat. 6 no.3:415-423 My-Ja '65.

(MIRA 18:10)

1. Tomskiy politekhnicheskiy institut imeni Kirova.

ZHURAVLEV, V.K.

Absorption of radio waves by a dielectric in an ionizing radiation field. Izv. vys. ucheb. zav., fiz. 8 no.1.32-35 '65.

(MIRA 18:3)

1. Nauchno-issledovatel'skiy institut pri Tomskom politekhnicheskem institute imeni Kirova.

ZAK, P.S.; ZHURAVLEV, V.L.; ROMANOV, V.A., otyv.red.; SADOMOV, N.T., red.; GOTOVITSEV, A.A., red.; GRINBERG, A.Ya., red.; ZUBKOV, V.T., red.; KOGAN, A.M., red.; KRUGLIKOV, A.V., red.; RUMYANTSEV, K.K., red.; NAZIMOV, N.M., red.; NYMARK, A.M., red.; MOTYAKHOV, M.A., red.; SPEVAK, V.Ya., red.; TERNENBAUM, M.M., red.; SHMYRIN, B.I., red.; ALADOVA, Ye.I., tekhn.red.; SEKIYAR, S.Ya., tekhn.red.

[Design and manufacture of globoid gears] Proektirovanie i izgotovlenie globoidnykh peredach. Moskva, Ugletekhnizdat, 1958.
87 p. (Tekhnologiya ugol'nogo mashinostroeniia, no.2).

(MIRA 13:2)

(Gearing)

KOROSTELEV, S.F.; MAKHOV, A.A.; ZHURAVLEV, V.L.

Letter to the editor. Lit. proizv. no.10:47 0 163. (MIRA 16:12)

KATIN, Vladimir Konstantinovich; ZHURAVLEV, V.L., retsenzent;
UTKIN, G.N., retsenzent; KONSHINA, V.A., red.; BORISKINA,
V.I., red. kart; KOVALENKO, V.L., tekhn. red.

[Morocco] Morokko. Moskva, Uchpedgiz, 1963. 68 p.
(MIRA 17:3)

ZHURAVLEV, V. L., S. V. ELISEEV and P. S. ZAK

Konstruirovaniye i izgotovlenie odnozakhodnykh globoidnykh peredach. (Vestn. Mash., 1951; no. 4, p. 25-30; no. 5, p. 28-32)

Includes bibliography.

Designing and manufacturing single-cut cone drives.

DLC: TN4.V4

SO: Manufacturing and Mechanical Engineering in the Soviet Union, Library of Congress, 1953.

ZHURAVLEV, V.L.; ALEKSEYEV, M.V., dotsent, rukovoditel' raboty

Fire hazards of aniline hydrogenation shops in the production of
caprolactame from aniline. Pozh. bezop. no.4:38-46 165.

(MIRA 19:1)

I 11108-66

(N)

EWT(m)/EWP(e)/EWP(v)/T/EWP(t)/EWP(h)/EW(2)/EWF(b)/EW(c)

ID/HV/R

ACC NR: AP6002531

SOURCE CODE: UU/0236/65/000/023/0036/0036

INVENTOR: Petrov, S. A.; Kaufman, M. S.; Kialynik, F. I.; Zhuravlev, V. L.;
Krichevskiy, Z. A.; Aldyrev, D. A.; Kazintsev, N. V.; Tkachev, V. N.

Q1

B

ORG: none

TITLE: Method of strengthening thin-sheet parts. Class 21, No. 176646. (announced by the All-Union Scientific Research and Design Technological Institute of Coal Machine Building (Vsesoyuznyy nauchno-issledovatel'skiy i proyektno-tehnologicheskiy institut uglevogol'nogo mashinostroyeniya); Rostov Scientific Research Technological Machine Building Institute (Rostovskiy nauchno-issledovatel'skiy institut tekhnologii mashinostroyeniya))

SOURCE: Byulleten' izobretений i tovarnykh znakov, no. 23, 1965, 36

TOPIC TAGS: thin sheet part, part strengthening, part surfacing, thin sheet surfacing, wear resistant powder

ABSTRACT: This Author Certificate introduces a method of strengthening thin-sheet parts by surfacing with wear-resistant powder deposited with high-frequency current. To maintain a constant gap between the inductor and the surfaced part, ensure a small depth of penetration in the base metal, and to avoid burning through, the inductor is located below the surfaced part. (ND)

SUB CODE: 11/ SUM DATE: 24Nov62/ ATD PRESS: 4/76
Card 1/1 H(A)

UDC: 621.791.977-41

ZHURAVLEV, V.L.

[Technology of globoid gear production] Tekhnologija
izgotovlenija globoidnykh peredach. Moskva, Mashino-
stroenie, 1965. 149 p. (MIRA 18:12)

L 39161-66

EEC(k)-2/EWT(d)/EWP(l) IJP(c) CG/BB

ACC NR: AP6030380

SOURCE CODE: UR/0161/66/000/002/0080/0083

AUTHOR: Abdullayev, D. A.; Zakharov, Ya. V.; Zhuravlev, V. M.

ORG: Uzbek Scientific Research Institute for Power and Automation (Uzbekskiy nauchno-issledovatel'skiy institut energetiki i avtomatiki)

TITLE: Synthesis of the selector of one class of information processing device

SOURCE: AN UzSSR. Izvestiya. Seriya tekhnicheskikh nauk, no. 2, 1966, 80-83

TOPIC TAGS: information processing, pulse counter

ABSTRACT: An interesting class of information processing devices is that in which the inputs receive signals with various characteristics and levels, and the output of each characteristic and its level is fixed individually. This requires selective distribution of the signals with identical levels into individual output channels. The authors have developed a device, applied to an automatic sowing device, which performs this function in a reliable manner with a somewhat simpler circuit than those known earlier. Below is a schematic diagram:

Key: 1 - pulse counter; 2 - to indicator-counters; 3 - to control unit;
other symbols universal.


Card 1/2

"
n' cvevuuHGM
n formulas. [JPRS: 36,127]
n 001

L 39161-66

ACC NR: AP6030380

Счетчик импульсов (1)



И счетчиком - индикатором (2)

Orig. art. has: 2 figures and 7 formulas. [JPRS: 36,127]
 SUB CODE: 09 / SUBM DATE: 20Apr65 / ORIG REF: 001
 Card 2/2 rev


L 24716-66 EWT(d)/EWT(1)/EWP(1)/EWA(h) IJP(c) BE/GG
ACC NR: AP6009908 SOURCE CODE: UR/0413/66/000/004/0105/0106
INVENTOR: Abdullayev, D. A.; Zakharov, Ya. V.; Zhuravlev, V. M.
ORG: none
TITLE: A device for asynchronous triggering of shift registers. Class 42, No. 179093
SOURCE: Izobreteniya, promyshlennyye obraztsy, tovarnyye znaki, no. 4, 1966, 105-106
TOPIC TAGS: shift register, trigger circuit, computer component
ABSTRACT: This Author's Certificate introduces a device for asynchronous triggering of shift registers. The unit is based on a two-cycle ferrite-diode shift register which contains three ferrite cores with control windings, as well as input and output windings connected by coupling circuits. The device also contains a blocking circuit connected between the input of the second core and the output of the third core. An isolated synchronous pulse is generated over a wide range of trigger pulse durations by connecting the recording winding of the second core in series with the trigger circuit.

Card 1/2

UDC: 681.142.07

L 24716-66

ACC NR: AP6009908



1 - input; 2 - input winding; 3-5 - cores; 6 - blocking winding; 7 - feedback winding; 8 - output winding of core 5; 9 - input winding of core 5; 10 - output windings of cores 3 and 4; 11 - control winding for the corresponding core.

SUB CODE: 09/ SUBM DATE: 28Jul63/ ORIG REF: 000/ OTH REF: 000

Card 2/2 ✓

ACCESSION NR: AT4039569

S/0000/63/000/000/0010/0023

AUTHOR: Zhuravlev, V. M.

TITLE: Some principles of the construction of ternary elements

SOURCE: AN UzSSR. Otdeleniya tekhnicheskikh nauk. Rezul'taty* nekotorykh issledovaniy v oblasti energetiki, avtomatiki, mehaniki i gornogo dela (Results of some investigations in the fields of power engineering, automatic control, mechanics, and mining engineering). Tashkent, Izd-vo AN UzSSR, 1963, 10-23.

TOPIC TAGS: control system, automatic control, automation, transistor, parametron, ternary element, semiconductor, switching theory, electromagnetic relay, tripolar relay, ferrite core adder

ABSTRACT: The article deals primarily with problems relating to the articulation and construction of non-binary (principally, ternary) components in connection with the ever-increasing interest in the non-binary switching theory for the analysis of complex systems. An effort is made to use a single technique in the study of non-binary elements in order to

Card 1/4

ACCESSION NR: AT4039569

arrive at concrete technical solutions. Noting the high state of development presently attained in the analysis of binary structures, the author postulates that the study of elements with higher structures should be based on the achievements of this theory, with the most correct method being that of investigating elements with structures close to binary. The first step in the study of ternary structures is the analysis of existing structures with three steady states. Preliminary investigation has shown that existing ternary elements may be classified as follows: a) according to the principle of operation at the basis of the work of the elements; b) according to purpose, i.e., their function in automatic equipment; c) according to possible similarity with binary elements. On the basis of these principles, the author has classified the ternary elements, descriptions of which are available in the pertinent technical literature. Noting that a great many three-state circuits have been developed, the author lists and discusses only a part of them in this article for the purpose of illustrating the system of classification adopted. The following types of tri-state systems are considered in some detail: circuits using electromagnetic elements (in particular, the electromagnetic relay of Bullen and Wilson of the United States); circuits using electronic elements (in particular, a trigger device having three stable states, in which diode coupling between the cathodes of the tubes is employed as the

2/4
Card.

ACCESSION NR: AT4039569

nonlinear element; ternary elements using gas-filled tubes; three-position relays, etc.); circuits using semiconductor elements (in particular, a tri-stable trigger using a point-contact transistor with two collectors and one emitter); circuits using magnetic elements (in particular, ternary switches and adders using ferrite cores with rectangular hysteresis loop, as used, for example, in the "Setun" computer of Moscow State University, which operates with a ternary code); nonlinear electrical circuits with several steady states (in particular, the parametron). The survey of existing circuits with three steady states permits an evaluation of the place of each group of elements among known non-binary systems, thus making possible a correct approach to the problem of selecting those elements on the basis of which ternary elements might best be constructed. The advantages and defects of each of the various classification categories discussed in the preceding sections of the article are analyzed from this point of view. The author concludes that new ternary elements should be designed primarily on the basis of magnetic and semiconductor materials. Multi-aperture magnetic cores constitute elements of great promise for the development of multi-stable circuits. Orig. art. has: 7 figures.

ASSOCIATION: Otdeleniye tekhnicheskikh nauk AN UzSSR. (Department of Technical Sciences, AN UzSSR)

Card 3/4

KATS, M.Sh.; ZHURAVLEV, V.M.; AGANICHEV, P.V.

Effect of the quality of Aktyubinsk chromium ores and reducing agents on the desulfurization of carbon ferrochromium. Izv.vys. ucheb.zav.; chern. met. 8 no.4:75-82 '65.

(MIRA 18:4)

1. Aktyubinskiy zavod ferrosplavov.

ZHEURAVLEV, V.M.; LIDUMS, A.K.

Boltless fastener for the lining of a ball mill. Tsement 30
no.1:19-20 Ja-F '64. (MIRA 17:8)

1. Rizhskiy tsementnyy zavod.

KARSANOV, G.V.; ODOYEVSKIY, L.S.; KHODKIN, V.I.; ZHURAVLEV, V.M.;
MEL'NICHENKO, A.A.

Preparation of chromium metal by thermochemical reduction
with silicon in electric furnaces. Stal' 22 no.2:135-137
F '62. (MIRA 15:2)

(Chromium—Electrometallurgy)

KRIVOSHEYEV, V.M.; ZHURAVLEV, V.M.

Filter-heater apparatus and ways of feeding dust into kilns.
TSement 28 no.2:18-19 Mr-Ap '62. (MIRA 15:8)

1. Rizhskiy tsementnyy zavod.
(Kilns, Rotary) (Electric filters)

ZHURAVLEV, V.M., aspirant; GOLOVATYY, G.M., veterinarnyy vrach

Infectious gastroenteritis in swine. Veterinariia №.1:43-49
Ja '64. (MIRA 17:3)

1. Ukrainskiy nauchno-issledovatel'skiy institut eksperimental'noy
veterinarii (for Zhuravlev). 2. Sovkhoz imeni Kotovskogo Khmel'-
nitskoy oblasti (for Golovatyy).

ZHURAVLEV, V.M., aspirant

Changes in swine with infectious gastroenteritis complicated by brachystidiasis and paratyphoid. Veterinariia 40 no.2:35-38 F '63.
(MIRA 17:2)

1. Ukrainskiy nauchno-issledovatel'skiy institut eksperimental'noy
veterinarii.

"APPROVED FOR RELEASE: 07/16/2001

CIA-RDP86-00513R002065020014-1

ZHURAVLEV, V.M.

Using a projection lantern. Geog. v shkole 19 no.2;63-65
Mr-Ap '56. (MIEA 9:7)
(Lantern projection) (Geography--Study and teaching)

APPROVED FOR RELEASE: 07/16/2001

CIA-RDP86-00513R002065020014-1"

ZHURAVLEV, V.M.

Evaluation of an infrasonic method for measuring nonlinear dis-tortions introduced by loudspeakers. Trudy LIKI no. 7:37-44 '61.
(MIRA 18:3)

1. Kafedra akustiki Leningradskogo instituta kinoinzhenerov.

ZHURAVLEV, V.M.

Structural reliability of digital computers. Dokl. AN Uz. SSR
21 no.8:18-20 '64. (MIRA 19:1)

1. Uzbekskiy nauchno-issledovatel'skiy institut energetiki i
avtomatiki i Glavnoye upravleniye po proyektirovaniyu elektro-
stantsiy, podstantsiy i setey Ministerstva stroitel'stva
elektrostantsiy SSSR. Submitted Nov. 19, 1963.

S/187/63/000/002/004/004
A004/A126

AUTHOR: Zhuravlev, V. M.

TITLE: Method of measuring nonlinear distortions with the aid of noise bands

PERIODICAL: Tekhnika kino i televideniya, no. 2, 1963, 42 - 47

TEXT: The author has carried out a comparative analysis of all methods known at present for measuring nonlinear distortions in conformity with sharply irregular frequency characteristics and frequency-discriminating nonlinearity. He presents the results of his work performed in the course of the last years, and suggests using the noise band method which, in comparison with other methods that are used at present, shows a number of advantages. The principle and skeleton diagrams of measuring nonlinear distortions by noise bands are presented. An account is given of the considerations in selecting the band width of the test signal and also of the demands made on the filters. Test results obtained with the measuring installation are given. There are 8 figures.

Card 1/1

L 6433-66	EWT(1)/EWA(h)							
ACC NR: AR5014356	SOURCE CODE: UR/0271/65/000/005/0005/E005							
SOURCE: Ref. zh. Avtomatika, telemekhanika i vychislitel'naya tekhnika. Svodnyy tom, Abs. 5B32								
AUTHOR: Zhuravlev, V. M.								
TITLE: Structural reliability of digital equipment								
CITED SOURCE: Dokl. AN UzSSR, no. 8, 1964, 18-20								
TOPIC TAGS: digital equipment, structural reliability, equipment reliability								
TRANSLATION: The reliability of components having several stable states is compared with the reliability of binary components, the reliability of the entire system being specified. The following assumption is adopted: the digital system is represented by a number of equi-reliable components which function in succession. It is proven that the ternary number system, under the above conditions, is not only the most economical but also optimal in its reliability. It is noted that, with ternary components less reliable than binary components, a system can be realized whose reliability will be as good as that of a binary-component system.								
Bib. 2.								
SUB CODE: DP								
LW								
Card 4/1								
UDC: 681.142.019.3.001								
0901 1776								

MOROZOV, A.N.; CHIRKOV, N.A.; FIRSOV, S.G.; KRASHCHENKO, L.S.; Prinimali
uchastiye: RISPEL', K.N.; VAYNSHTEYN, O.Ya.; BUSLUIEV, A.P.;
SNEZHKO, B.Ya.; MEL'NICHENKO, A.A.; ZHURAVLEV, V.M.

Alloying open-hearth steel with exothermic ferroalloys in the
ladle. Stal' 25 no.5:412-414 My '65. (MIRA 18:6)

ZHURAVLEV, V.M.

Suitability of the correlation method for the measurement of
nonlinear distortions. Trudy LIKI no.10:99-102 '64.
(MIRA 18:9)

1. Kafedra akustiki Leningradskogo instituta kinoinzhenerov.

GUSEV, G.V.; ZHURAVLEV, V.N.

Biological characteristics of the Colorado beetle. Zashch. rast.
ot vred. i bol. 3 no.3:46-47 My-Je '58. (MIRA 11:6)
(Potato beetle)

ZHURAVLEV, Vitaliy Nikanorovich; DUGINA, N.A., tekhn. red.

[Reducing the weight of structures used in machine manufacture]
Snizhenie vesa mashinostroitel'nykh konstruktsii. Izd.2.,
perer. i dop. Moskva, Gos.nauchno-tekhn.izd-vo mashinostroit.
lit-ry, 1961. 238 p. (MIRA 15:2)
(Machinery—Design) (Materials)

KORETSKIY, B.A., inzh. KOMAROV, G.I.; ZHURAVLEV, V.N.;

Using preliminary and consecutive cementing in the Kuznetsk
Basin. Shakht. stroi. 8 no.5:22-25 My'64 (MIRA 17:7)

1. Yegozovskoye shakhtostroyupravleniye (for Koretskiy). 2.
KuzNIIshakhtostroy (for Zhuravlev).

ZHURAVLEV, V.N., mladshiy nauchnyy sotrudnik

Some characteristics of the biology of the Colorado beetle
in Kalinin Province. Zashch. rast. ot vred. i bol. 5 no.9:
50-51 S '60. (MIRA 15:6)

1. Kaliningradsky opornyj punkt Vsesoyuznogo instituta
zashchity rastenij.
(Kalinin Province---Potato beetle)

DUDA, Ye.G., gornyy inzh.; ZHURAVLEV, V.N., gornyy inzh.; UMMOV, N.R.,
gornyy inzh.

Utilization and capacity of the excavator fleet in Kuznetsk
Basin opencut mines. Ugol' 34 no.7:21 J1 '59.
(MIRA 12:10)

1. KuzNIIShakhtstroy.
(Kuznetsk Basin--Strip mining) (Excavating machinery)

VOYNICH, L.K., inzh.; GORELIK, Z.M., inzh.; ZHURAVLEV, V.N., inzh.;
CHIRKOV, A.G., inzh.; BOL'SHAKOV, B.N., red. izd-va; UVAROVA,
A.F., tekhn. red.

[Catalog of parts for the MAZ-501 logging tractor and the
MAZ-502 and MAZ-502A motortrucks] Katalog detalei lesovoznogo
tiagacha MAZ-501 i gruzovykh avtomobilei MAZ-502 i MAZ-502A.
Moskva, Mashgiz, 1961. 447 p. (MIRA 15:3)

1. Minskij avtomobil'nyy zavod. 2. Otdel glavnogo konstruktora
Minskogo avtomobil'nogo zavoda (for Voynich, Gorelik, Zhuravlev,
Chirkov).

(Motortrucks) (Tractors)

L	20775-66 EWT(d)/EWT(m)/EWA(d)/EWP(v)/t/EWP(t)/EWP(k)/EWP(h)/HW(l)/ETG(n)-6 ACC NR: AP6004682	SOURCE CODE: UM/0142/65/100/010/0042/0042	JD/HW 45 43 R
AUTHOR:	Ryshikov, A. A.; Zhuravlev, V. N.; Sorkin, L. D.		
ORG:	none		
TITLE:	Die casting of die inserts		
SOURCE:	Kuznechno-shtampovochnoye proizvodstvo, no. 10, 1965, 41-42		
TOPIC TAGS:	molten metal forging, die, die insert, tool steel, metal casting/5KhNT tool steel		
<p>ABSTRACT: By contrast with the pressure die casting of nonferrous alloys and carbon steel, the die casting of tool steel still remains relatively uninvestigated. In this connection, the authors investigated the process of the pressure die casting of 5KhNT tool steel into swaging-die inserts by means of a device designed and built for mounting in 60 and 200-ton hydraulic presses equipped with anti-spatter shields. Of the various die assemblies tested, the one shown in Fig. 1 proved to be of the most suitable design. In this die assembly die 6 is mobile; when open, it is caused by springs 8 to rise to as high a position as is permitted by the limiting screw 9. Then the lower plane of the die does not rise above the level of the upper surface of bottom 10. After the molten metal is poured into the cavity, punch 2 descends together with yoke 3. As the descent of the punch continues, the die begins its descent, thus compressing the springs 8. The punch, by occupying the volume</p>			
Card 1/3	UDC: 621.984.1		2

L 20775-66

ACC NR. AP6004682




Figure 1.

Card 2/3

L 20775-66

ACC NR AP6004682

2

previously occupied by the molten metal causes the latter to get displaced upward until the cavity is completely filled. The solidification of the metal takes place under pressure. After this, the upper part of the die assembly is raised and the product is ejected from the die. The punch, die and other parts of the die assembly are housed in a frame consisting of lower and upper bolsters, guide columns 5, bushings 5 and ejection system 11. Hollow rod 1 provides water for cooling the punch. The technique used for the die casting of inserts was as follows: 5KhNT steel was melted in an induction furnace and, at a temperature 1550-1600°C poured from a ladle into the die assembly. Through trial and error it was found that reducing the thickness of the thus cast die inserts from 55 to 40 mm and increasing the pressure on the metal to 6-8 kg/mm² virtually eliminates shrinkage porosity in the casting. The cast inserts ejected from the die are cooled and thereupon annealed at 860°C for 2 hours and at 760°C for 2.5 hours. They have a compact fine-grained structure and display a more uniform cross section than die inserts fabricated by conventional casting. Operating trials (at a forging shop, in a 1600-ton forging press) showed that the quality of die inserts produced by the die casting method is equal to that of the inserts produced by the forging method. What is more, production of the inserts by this new technique saves scarce tool steel, since they will be cast from the wastes of the press and forging shop. In addition, the tolerances are then reduced, thus reducing the weight of the blank and the volume of its subsequent machining.

Orig. art. has: 4 figures.

SUB CODE: 11, 13/ SUBJ DATE: none/ ORIG REF: 000/ OTH REF: 000

Card 3/3 vmb

Zhuravlev, V.N.

PAGE 1 BOOK EXPLOITATION SOV/3727

Razrabotivnye vozmozhnosti plastmass v konstruktsiyakh
maschin (studying the Possibilities for Using Plastics in
Machine Components) Moscow, Nauka, 1959. 183 p., 6,000
copies printed.

Reviewer: M.V. Popov, Engineer, and P.Z. Petushkov, Doctor of Technical Sciences; Ed. N.I. Sudov, Engineer; Techn. Ed.; K.A. Drubina and A.P. Uvarova, Msc., Ed. (Metal-Silicon Division, Nauka); T.M. Sosova, Engineer.

PURPOSE: The book is intended for engineers and scientists engaged in the study and manufacture of plastics and Plastic Machine parts.

CONTENTS: The chapters of this book were written by different authors indicated in parentheses after each chapter in the table of contents. The chapter on the use of plastics in non-Soviet countries includes data on the state of work in Czechoslovakia. A number of Soviet manufacturers of plastic components are mentioned. Equipment using plastic components is described and evaluated. Considerable attention is paid to nonferrous and chemical enterprises, as well as to the problem of substituting plastics for critical materials in types of equipment subjected to wear or to corrosive, abrasive and chemical influences. Brand designations, properties and uses of various plastics are given. It is thus a survey of modern Soviet plastic materials. Given according to their specific application in industry. The author's main hobby upon the experience of oral plants, especially those specializing in electrical apparatus, automotive equipment, and measuring instruments. No personalities are mentioned. There are 37 References, 31 Soviet, and 5 German.

TABLE OF CONTENTS:

Ch. XI. Parts Made of Plastics (A.Ya. Sauer, V.K. Solon'zova, V.D. Zhdanov, V.S. Parkhorets, and I.P. Sosulin)	17
1. Factors affecting the service life of plastic machines	17
2. Properties and application of laminated wood-base plastics	18
Laminated wood-base plastics (N.P.	21
Wood flour	21
Parts made of asbestos-base plastics	25
4. Use of acrylics at the Chelyabinsk Mineral Wool Insulating Materials Plant (ChMIP)	31
5. Use of Plastics at some Industrial Enterprises in the Kazakhstan Basin	38
Bearings made of plastics	38
Electric drives for plastic conveyors with plastic parts	39
(description of an experimental model)	39
Plastic bearings for machines used in mineral-wool manufacture	41

Ch. XII. Plastics Made of Plastics (A.Ya. Sauer, V.K. Solon'zova, V.D. Zhdanov, V.S. Parkhorets, and I.P. Sosulin)	44
1. Plastic parts in electrical machinery	44
2. Easapone (copolymer of a certain type of synthetic rubber) and Easacell insulation	47
Easapone polymers	49
Easapone compound	50
Easapone	50
Technical	50
Easapone containing of cloth made of paper or textile fibres	53
Technology of manufacturing easapone - impregnated glass fabric	53
Laminate - coated easapone - impregnated glass fabric, and	54
Properties of electrical insulating materials made of easapone	57
Plastics	57
Economic efficiency of electrical insulation made of easapone	62
3. Use of plastics for instrument components at the Chelyabinsk	63
Topoplite Plant	63

(77)

ZHURAVLEV, V. N.

Steel, Structural

Designing light-weight shaped and welded steel constructions, Vest. mash., 32, no. 4, 1952

9. Monthly List of Russian Accessions, Library of Congress, October 1952 Uncl.

25(2)

PHASE I BOOK EXPLOITATION

SOV/2705

Zhuravlev, Vitaliy Nikanorovich

Snizheniye vesa mashinostroitel'nykh konstruktsiy (Reducing the Weight of Constructions Used in Machinery) Moscow, Mashgiz, 1959. 272 p. Errata slip inserted. 8,000 copies printed.

Reviewer: E. A. Satel', Professor, Honored Worker in Science and Technology; Ed.: Ye. V. Pal'mov, Doctor of Technical Sciences, Professor; Tech. Ed.: N.A. Dugina; Exec. Ed. (Ural-Siberian Division, Mashgiz): T. M. Somova, Engineer.

PURPOSE: This book is intended for technical personnel and scientific workers. It may also be used by students of schools of higher technical education.

COVERAGE: The book contains the fundamentals of design of light-weight constructions used in machinery. The characteristics of recently developed economical shapes are examined. Theoretical investigations and practical data on the design and manufacture of welded steel and combined constructions are summarized. Manufacturing processes for some economical shapes and several types

Card 1/13

IVANOV, Ye. N.; GUSEV, G. V.; ZHURAVLEV, V. M.

Phenology of the Colorado beetle. Zashch. rast. ot vred. 1
bol. 6 no. 6:50-51 Je '61. (MIRA 16:4)

(Potato beetle)

ZHURAVLEV, Vitaliy Nikanorovich; NIKOLYAEVA, Ol'ga Ivanovna; KUCHERYAVYY,
A.V., inzh., retsenzent; SVETLAKOV, Ch.L., inzh., retsenzent;
KLISANICH, N.P., inzh., retsenzent; TSUKHLOV, A.P., dots.,
retsenzent; DUGINA, N.A., tekhn. red.

[Machinery steels] Mashinostroitel'nye stali; spravochnik dlja
konstruktorov. Moscow, Mashgiz, 1962. 237 p. (MIRA 16:2)
(Steel, Structural)

VOYNICH, L.K.; CORELIK, Z.M.; ZHURAVLEV, V.N.; CHIRKOV, A.G.; BOL'SHAKOV, B.N., red. izd-va; UVAROVA, A.F., tekhn. red.

[Catalog of parts for MAZ-200 motortrucks, MAZ-200B saddle-type tractors, and MAZ-205 dump trucks] Katalog detalei gruzovogo avtomobilia MAZ-200, sedel'nego tiagacha MAZ-200B i avtomobilja-samosvala MAZ-205. Moskva, Gos. nauchno-tekh. izd-vo mashinostroit. lit-ry, 1961. 430 p. (MIRA 14:8)

1. Minskiy avtomobil'nyy zavod. 2. Rabotniki Otdela glavnogo konstruktora Minskogo avtomobil'nego zavoda (for all except Bol'shakov, Uvarova)

(Motortrucks--Catalogs) (Dump trucks--Catalogs)

CHEKANNIKOV, N.I., inzh.; PASTUSHENKOV, A.F., inzh.; ZHURAVLEV, V.N., inzh.

Open pit coal mining system without transportation with the use of power excavators. Ugol' 36 no.2:21-24 F '61. (MIRA 14:2)

1. Trest Cherevkhovugol'.
(Strip mining) (Excavating machinery)

ZHURAVLEV, V. N.

Boring machine. Mast. ugl. 7 no.10:19 0 '58. (MRA 11:11)

I.Glavnyy inzhener Khrantsovskogo razreza №.2 tresta Cheremkhovugol'.
(Drilling and boring machinery)

ZHURAVLEV, V., inzh.; UMNOV, N., inzh.

Two scrapers. Mast. ugl. 8 no. 5:14 My. '59. (MIRA 12:8)
(Coal mines and mining—Equipment and supplies)

DUDA, Ye.G., gornyy inzh. (g.Kemerovo); ZHURAVLEV, V.N., gornyy inzh.
(g.Kemerovo); UMNOV, N.R., gorn.inzh. (g.Kemerovo)

Some problems of exploiting open-pit coal mines in the
Kuznetsk Basin. Ugol' 34 no.3:8-9 Mr '59. (MIRA 12:5)
(Kuznetsk Basin--Coal mines and mining)
(Strip mining)

ZHURAVLEV, V.N., inzh.; KOMAROV, G.I., inzh.

Eliminating water inrushes through shaft lining at the
"Karagailinskaia" No.1/2 Mine. Shakht. stroi. 8 no.9:
22-24 S '64. (MIRA 17:12)

1. Nauchno-issledovatel'skiy institut stroitel'stva ugol'nykh
i gornorudnykh predpriyatiy.

ZHURAVLEV, V.P.; POPOV, V.K.

Calculation of the screening effect of two layers in the interpretation of logging resistance data. Radiot. i prom. (MIRA 17:7)
geofiz. no.49:101-117 '63

SHILENKOV, V.N., kand. tekhn. nauk; ZHURAVLEV, V.P., kand. tekhn. nauk

Effect of wetting agents on the parameters of preliminary coal
wetting. Ugol' 40 no.2:57-58 F '65. (MIRA 18:4)

1. Kuznetskiy nauchno-issledovatel'skiy ugol'nyy institut.

ZHURAVLEV, V.P.; SHILENKOV, V.N.; RYZHIKH, L.I.; SKACHKOV, Ye.Z.

Changes in the permeability of a seam along its cross section. Nauch.
trudy KNIUI no.16;3-5 '64.

Effect of wetting additives on the decrease in the strength of coal.
Ibid.,11-14 (MIRA)

Increasing the efficiency of weakening the coal massif with the help
of softening solutions. Ibid.,245-249 (MIRA 13;7)

SHILENKOV, V.N.; ZHURAVLEV, V.P.; RYZHIKH, L.I.

Studying filtering processes with the use of coal samples. Nauch.
trudy KNIUI no.16:6-11 '64. (MIRA 18:7)

ZHURAVLEV, V.P.; POYELUYEV, A.P.

Increasing the efficiency of sprinkling during the operation of the K-52m cutter-loader. Nauch. trudy KNIUI no.16:17-19 '64.

Effect of sprinkling on the disperse composition of dust formed during the operation of mining cutter-loaders. Ibid.:19-22 (MIRA 18:7)

"APPROVED FOR RELEASE: 07/16/2001

CIA-RDP86-00513R002065020014-1

ZHURAVLEV, V.P.; POYELUXEV, A.P.; SHILENKOV, V.N.; RYZHIKH, L.I.

New type of sprayers. Nauch. trudy KNIUI no.16, 22-28 '64. (MIRA 10,7)

APPROVED FOR RELEASE: 07/16/2001

CIA-RDP86-00513R002065020014-1"

POPOV, V.K.; SILKINA, D.N.; ZHURAVLEV, V.P.

Determining the thickness of thin beds from the data of
electric logging. Prikl. geofiz. no.40:198-209 '64

ZHURAVLEVA, V.P.; TIMUK, O.Ye.

Sherry yeast in Turkmenia. Izv. AN Turk.SSR.Ser. biol.nauk no.1:36-
40 '65. (MIRA 18:5)

1. Institut botaniki AN Turkmeneskoy SSR.

KSENOFONTOVA, A.I., prof.; BURCHAKOV, A.S., kand.tehn.nauk; ZHURAVLEV, V.P.,
inzh.

Water injection into the seam and calculation of the hydraulic
parameters of coal seams. Ugol' 36 no.2:37-41 F '61. (MIRA 14:2)

1. Moskovskiy gornyy institut im.I.V.Stalina.
(Mine dusts) (Coal--Permeability)

ZHURAVLEV, V.P., inzh.

Combined use of deep boreholes for degassing and preliminary
wetting of coal seams. Izv. vys. ucheb. zav.; Gor. zhur.
no. 4:77-80 '61. (MIRA 14:6)

1. Moskovskiy gornyy institut imeni I.V.Stalina. Rekomendovana
kafedroy rudnichnoy ventilyatsii i tekhniki bez opasnosti
Moskovskogo gornogo instituta.
(Coal mines and mining)

ZHURAVLEV, V.P., inzh.

Investigating the wetting of coal in the solid through deep holes
in order to reduce the dust formation in coal mine stopes. Izv;
vys. ucheb. zav.; gor. zhur. no.10:79-82 '60. (MIRA 13:11)

l. Moskovskiy gornyy institut imeni I.V.Stalina. Rekomendovana
kafedroy ventilyatsii i tekhniki bezopasnosti Moskovskogo gornogo
instituta.

(Coal mines and mining—Safety measures)
(Mine dusts)

KEYROVICH, Ye.N.; ZHURAVLEV, V.P., kand. tekhn. nauk; RYZHIKH, L.I., gornyy
inzh.

Dust control in the Kostenko "A" Mine. Ugol' 38 no.8:50 Ag '63.
(MIRA 17:11)

1. Glavnnyy inzh. shakhty "A" im. Kostenko (for Keyrovich).
2. Karagandinskiy nauchno-issledovatel'skiy ugol'nyy institut
(for Zhuravlev, Ryzhikh).

ZHURAVLEV, V.P., kand. tekhn. nauk; SHILINIKOV, V.N., kand. tekhn. nauk;
KRIKUNOV, G.N., inzh.

Use of the petrographic method of studies in the search of
ways to increase the effectiveness of preliminary moistening
of the coal beds. Bor'ba s sil. 6:7-10 '64 (MIRA 18:2)

1. Karagandinskiy nauchno-issledovatel'skiy ugol'nyy institut.

POYELUYEV, A.P., inzh; ZHURAVLEV, V.P., kand. tekhn. nauk; RIZHIKH, L.I., inzh.

Increasing the effectiveness of spraying in the work of extracting cutter-loaders in the Karaganda Basin. Bor'ba s sil. 6:37-42 '64
(MIRA 18:2)

1. Karagandinskiy nauchno-issledovatel'skiy ugol'nyy institut.

SHILENKOV, V.N.; ZHURAVLEV, V.P.; POYELUYEV, A.P.; RYZHIKH, L.I.; SKACHKOV,
Ye.Z.

Raising the efficiency of coal mining with cutter-loaders by
weakening the massif by wetting it . Nauch. trudy KNTUI no.13:
29-38 '64 (MIRA 18:1)

ZIGURAVLEV, V.P.; POPOV, V.K.; TERGUNSHAYA, L.A.

Determining the resistance of the layers of mean thickness.
Razved. gecfiz. no.4:120-128 '65. (MIRA 18:9)

ZHURAVLEV, V.P.; SHILENKOV, V.N.; RYZHIKH, L.I.; POYELUMEV, A.P.; BOGACHEV, V.P.

Wetting of coal seams with solutions for the decrease of dust formation and coal loosening, as well as for the control of gas liberation and prevention of endogene fires. Ugol' 40 no.8:65-68 Ag '65.

(MIRA 18:8)

"APPROVED FOR RELEASE: 07/16/2001

CIA-RDP86-00513R002065020014-1

ZHURAVLEV, V.S.

Types of salt domes in the Caspian Lowland. Trudy GIN no. 92:162-201
'63. (MIRA 17:10)

APPROVED FOR RELEASE: 07/16/2001

CIA-RDP86-00513R002065020014-1"

ZHURAVLEV, V.S.

Comparative characteristics of periclinal troughs in the Ural
fold system and features of their recent relief. Biol. MOIP.
Otd.geol. 39 no.5:157-158 S-0 '64. (MIRA 18:2)

VOLCHEGURSKIY, L.F.; ZHURAVLEV, V.S.

Structural relations between salt domes in the Caspian Lowland
as revealed by a study of the family of the Sankobay-Kruglyy
salt dome. Geotektonika no.2:94-105 Mr-Ap '65.

(MIR 18:5)

1. Vsesoyuznyy Aerogeologicheskiy trest Gosudarstvennogo
geologicheskogo komiteta SSSR i Geologicheskiy institut AN SSSR.

"APPROVED FOR RELEASE: 07/16/2001

CIA-RDP86-00513R002065020014-1

ZHURAVLEV, V.S.; PERFIL'YEV, A.S.; KHERASKOV, N.P. [deceased]

Spatial and temporal relationship between "uralides" and
"pre-uralides" in the eastern margin of the Russian Plat-
form. Biul.MOIP,Otd.geol. 40 no.5:106-130 S-0 '65.

(MIRA 18:11)

APPROVED FOR RELEASE: 07/16/2001

CIA-RDP86-00513R002065020014-1"

LVROV, V.P.; GONCHARENKO, B.D.; ZHURAVLEV, V.S.; SVITOCH, A.A.

Using seismic prospecting for the study of recent tectonics
in the Ural and Volga interfluves. Izv. AN Kazakh. SSR Ser.
geol. 22 no. 6:53-58 N-B '65 (MIRA 19:1)

1. Institut geologii i razrabotki goryuchikh iskopayemykh,
Moskva, i Vsesoyuznaya geologopoiskovaya kontora, Moskva.

L 32195-66 FBD/FSS-2/EWT(1)/EEC(k)-2 TT/GW/W5-2/WF

ACC NR: AP6006788

SOURCE CODE: UR/0033/66/043/001/0220/0226

AUTHOR: Zhuravlev, V. S.; Petrovskiy, A. A.; Pogrebnyy, B. F.

ORG: Radio Physics Institute, Gorkiy State University (Radiofizicheskiy Institut Gor'kovskogo gos. universiteta)

TITLE: General-purpose radio telescope with antenna diameter of 15m.

111
105

SOURCE: Astronomicheskiy zhurnal, v. 43, no. 1, 1966, 220-226

B

TOPIC TAGS: radio telescope, radio telescope antenna, electric motor, interferometer, elastic deformation, TV equipment, satellite, satellite tracking/RT-15 radio telescope, Echo-II satellite, Ml-32T electric motor, Ml-52T electric motor, PTU-3 TV equipment

10

ABSTRACT: The RT-15 radio telescope for observation of celestial bodies and artificial Earth satellites is described. Two such telescopes have been in operation at Zimenki since 1962 and were used in a series of experiments on a radio communication link established between Zimenki and Jodrell Bank via the Echo-II satellite. A photograph of the RT-15 is shown in Fig. 1.

The telescope together with its steering mechanism weighs 120 metric tons. Its height measured from the base of a steel-reinforced foundation is 30 meters. The solid foundation does not allow the tele-

Card 1/6

UDC: 523.164

L 32195-66

ACC NR: AP6006788




Fig. 1.

The RT-15 radio telescope

Card 2/6

L 32195-66

ACC NR: AP6006788

scope to sway more than 5" in winds up to 25 m/sec. The backlash effect and elastic deformations of the rotating mechanisms do not exceed 1.5' and are compensated by feedback systems. The dish antenna may be rotated from -3° to 183° with respect to two mutually perpendicular axes. The error in establishing the perpendicularity of the axes did not exceed ±30", and the error in aligning one of the axes in a particular direction was kept within ±20".

The antenna system consists of two reflecting mirrors: a 15-m diameter parabolic reflector with the active surface machined to an accuracy of ±0.75 mm and a coaxially mounted hyperbolic counter-reflector (not shown in Fig. 1) placed at a distance of 4.69 m from the apex of the first mirror. The power source for steering consists of two motors for each axis: the MI-32T (0.37 kw), which by means of a 240,000:1 reducer tracks slowly moving celestial objects, and the MI-52T (7 kw) with a 10,800:1 reducer which allows the telescope to follow fast moving objects such as artificial Earth satellites.

The position of the telescopes may be controlled in three modes from a control unit located nearby. The automatic tracking mode directs the dish according to a previously prepared program punched on standard

Card 3/6

L 32195-66

ACC NR: AP6006788

35-mm tape. Discrete error signals arise when the data representing the desired telescope direction disagree with the data on the actual direction from the selsyn angle indicators, which give a discrete signal for every 12"-change in direction. The error signals are applied to the feedback loop of the tracking system. When fast-moving objects are being tracked, a velocity error signal commands most of the corrective action.

To reduce the amount of program input data, the desired velocity is computed by linear interpolation of rate of change of position data entered on punched tape. Strong velocity feedback introduces an undesirable constant-error component due to nonlinearities of the tachometers and temperature compensating elements. This error is compensated with the aid of a unit which regulates tachometer characteristics. The system works in a synchronous mode established by the master clock—a quartz crystal whose output signal frequency is divided by 2^2 .

The second control mode is for visual tracking and is done manually by varying the position or velocity of telescope rotation or both by semi-automatic means. The tracking accuracy depends on the operator's ability to keep the image of the tracked object on the intersection of the cross-hairs on the TV receiving screen. The image on the screen

Card 4/6

L-32195-66

ACC NR: AP6006788

originates from a TV transmitter coupled to an optical telescope installed on the reflector. The TV link uses the standard PTU-3 industrial TV system. The objects for this mode of tracking must be brighter than 6 m.

The third mode is tracking of celestial bodies with the use of tabulated data from previous observations. Angle or velocity tracking is done manually by entering the angle and velocity data from tables into the system every 2, 4, or 16 minutes, depending on the desired accuracy. After each tracking time interval, the desired and actual telescope position angles are compared. The nonagreement between the two, i.e., the error signal, is stored on a capacitor and included as supplementary information for the next tracking interval.

The characteristics of each tracking mode are given in the accompanying table.

The two radio telescopes may also be utilized as interferometers or as spares for each other.

Card 5/6

L 32195-66

ACC NR: AP6006788

Table 1. Tracking mode data

6

Operating mode	Velocity	Acceleration	Velocity range	Tracking error
Rapid movement				
Automatic tracking	1.5°/sec	0.1°/sec ²	—	24—36"
Visual tracking	1.8°/sec	0.15°/sec ²	150	—
Realignment	2.0°/sec	0.15°/sec ²	150	—
Slow movement				
Automatic tracking	80"/sec	5.10 ⁻² "/sec	—	24—36"
Visual tracking	80"/sec	3"/sec	150	30"
Tracking with data tables	80"/sec	—	300	60"*

* At top speed using 2-min tracking intervals.

A. Ye. Sokolov, A. Z. Shaniro, G. L. Bruk, Yu. N. Semenov, N. M. Krutkova, and I. S. Motin participated in the designing and preparation of the radio telescope.
 Orig. art. has: 7 figures and 1 table. [FSB: v.2, no. 57]

SUB CODE: 17,09, 22 / SUBM DATE: 26Feb65

LS
Card 6/6

ZHURAVLEV, V.S.; PETROVSKIY, A.A.; POGREBENYY, B.P.

Universal radio telescope with a 15 m. antenna diameter.
Astron. zhur. 43 no. 1:220-226 Ja-F '66 (MIRA 19_a2)

1. Radiofizicheskiy institut Gor'kovskogo gosudarstvennogo
universiteta. Submitted February 26, 1965.

AVROV, P.Ya.; BULEKBAYEV, Z.Ye.; CARETSKIY, R.G.; DAL'TAN, I.B.;
ZHURAVLEV, V.S. i. MULDAKULOV, G.G.; FOMENKO, K.Ye.; SHLEZINGER, A.Ye.

Basic characteristics of the structure of the eastern and southeastern
margins of the Caspian Lowland based on subsalt sediments. Geotektonika
no.1:118-125 Ja-F '65. (MIRA 18:5)

1. Institut geologicheskikh nauk imeni Satpayeva AN Kazakhskoy
SSR i Geologicheskiy institut AN SSSR.

KUSHNAREVA, T.I.; ZHURAVLEV, V.S.; ZARKH, V.P.; SAAR, A.A.

Stratigraphy and tectonics of the basement of the southwestern part
of the Timan Range region. Dokl. AN SSSR 162 no.3:632-635 My '65.

(MIRA 18:5)

1. Submitted January 28, 1965.

MATVIYEVSKAYA, N.D.; ZHURAVLEV, V.S.

Pechora-Kozhva swell. Dokl. AN SSSR 161 no.4:903-906 Ap '65.
(MIRA 18:5)

1. Ukhtinskaya geofizicheskaya kontora i Geologicheskiy in-
stitut AN SSSR. Submitted December 3, 1964.

ZHURAVLEV, V.V.

107-5-17/54

AUTHOR: Zhuravlev, V. and Grin', N.

TITLE: Application of Electronics in Geology
(Primeneniye elektroniki v geologii)

PERIODICAL: Radio, 1956, Nr5, p. 15 (USSR)

ABSTRACT: An invitation to radiospecialists and radiohams to develop a number of apparatus that may be useful in geological work. Fairly accurate specifications for the desired apparatus are given:

A seismic station with a 1-f voltage amplifier block of 12 to 26 units. Frequency band 30-350 c with narrow band-pass filters and high discrimination. Weight under 6 or 5 kg.

A radio link between seismic pickups and a seismic station; 12 channels.

An orebody locator for searching the interadit massives by means of the shadow method. Range 50 m or more. Frequencies 1 to 10 mc.

An instrument for accurate determination of length of the cable in bore-hole logging; error $\pm 1\text{ mm}$ in a length up to 1.000 m. Also an instrument is needed for accurate determination of a cable wire break.

An instrument for measuring the level of subterranean waters with an error of 2-3 mm in the range of a few meters. Recording of such measurements for 10 days or more.

BAZHENOV, A.S., ZHURAVLEV, V.V.

New electrical prospecting apparatus for work based on the
intensity method. Razved.i okhr.nedr 22 no.7:49-54 J1 '56.
(MLRA 9:11)

1. Ministerstvo geologii i okhrany nedr SSSR.
(Prospecting--Geophysical methods) (Electric instruments)

3(

SCV/132-59-8-7/18

AUTHORS: Shirokov, A.S., and Zhuravlev, V.V.

TITLE: Basic Problems of Perfecting and Developing Geo-physical Equipment

PERIODICAL: Razvedka i okhrana nedr, 1959, Nr 8, pp 27-32
(USSR)

ABSTRACT: The author states the urgent necessity to modernize present, and to create new, geophysical equipment. Although this equipment was greatly developed since the last war, it is already obsolete and new devices and aggregates must be created. At present, different scientific research institutes and organizations are developing new equipment much too slowly, and plants are also lagging in its production. Measures have now been taken to increase the production of this equipment 2.4 times by 1965 over 1959. The author reviews the new equipment to be created in the next years.
I-Seismographic exploration.

The obsolete 26-channel seismic stations of SS-26-51D

Card 1/8

30V/132-59-8-7/18

Basic Problems of Perfecting and Developing Geophysical Equipment

type will be replaced by more economical and highly-productive 60-channel stations of SS-30/60 type and the portable SS-24P stations. These stations now being produced at the "Nefteprapor" Plant. The old stations will all be replaced in the next 2 years. A special attachment of the PPMZ-2 is also being produced for the magnetic recording of oscillations for 25 channels. The "Nefteprapor" Plant is also producing an autonomic seismic station with an intermediate magnetic recording device of SSM-57 type. Equipment for a regulated directed receiving (RNP) of seismic oscillations developed by the Moscow Institute neftekhimicheskoy i gazovoy promyshlennosti im. Gubkina (the Moscow Institute of the Petrochemical and Gas Industry imeni Gubkin) is now being delivered to industry. New universal seismic stations with photographic recording are now being introduced into industry. Apart from the production of SPM-16 and SPED-56 seismographic receivers

Card 2/8

SOV/132-59-8-7/18

Basic Problems of Perfecting and Developing Geophysical Equipment

now being produced, new low-frequency receivers of SPEN-1 type with 10 c frequency, and of NS-3 type with 3 c frequency will be produced in 1960. The VNIIGeofizika has developed a seismic station of MSS-58 type with a floating piezo-aggregate, which will permit seismographic exploratory research at sea. The new exploding device SVM-1, of condenser type, will be produced in 1960.

II. Gravimetric exploration.

The SN-3 and GAK-3M gravimeters will be replaced by gravimeters of GAK-4M type with an average precision of 0.2 milligals. More precise gravimeters will be produced later. A new gravimeter-altimeter of GVP-1 type, which can determine the gravity force along with the altitude of observation points, will also be produced in 1960. The Zavod "Geologorazvedka" ("Geologorazvedka" Plant) renewed the production of gravitational variometers of the VG-1 type and of gravitational gradientometers of

Card 3/8

SCV/132-59-8-7/18

Basic Problems of Perfecting and Developing Geophysical Equipment

GRBM-2 type.

III. Magnetic exploration.

The Institut zemnogo magnetizma AN SSSR (the Institute of Terrestrial Magnetism of the AS USSR), and the OKB, constructed a new quartz magnetometer M-14 with the magnetic element suspended on quartz threads. It will replace the obsolete M-2 magnetometer. VITR developed models of a magnetometer working on the principle of nuclear resonance. At a precision of 1 or 2 gamma, the device needs no orientation, and its indications do not depend on the temperature. These magnetometers will be produced in 1960. The OKB of the Ministry of Geology and Conservation of Mineral Resources of the USSR is preparing designs of a factory model of a portable magnetometer with a magnetic modulation counter and an electronic scheme on semi-conductors (M-17) based on the calculations of the Institut mashinovedeniya i avtomatiki AN Ukrainskoy SSR (Institute of Mechanical

Card 4/8

S07/132-59-8-7/18

Basic Problems of Perfecting and Developing Geophysical Equipment

Engineering and Automation of the MS Ukrainskaya SSR). To improve the accuracy of measurements of the ASGM-25 aerogeophysical station, its AEM-49 magnetometer was modernized, and a new ASG-45 magnetometer will soon be produced by the "Geologorazvedka" Plant. Construction design of a new T-aeromagnetometer AM-13 of high precision along with a magnetomodulating indicator is nearing completion. The Barnaul'skiy zavod geofizicheskoy apparatury (Barnaul Plant of Geophysical Equipment) is preparing the production of a field device called the "pronis-meter Kalashnikova" (Kalashnikov Device for Measuring Penetrability) to determine the degree of magnetic penetrability of samples of rocks, based on an electrical scheme on semi-conducting triodes.

IV. Electrical Exploration.

The electro-exploring stations ERS-23, ERS-16.5 and the station of telluric currents EPL-57, and the potentiometer EP-1, presently produced at plants

Card 5/8